

COLUMN SCHEDULE

COLUMN	SIZE	STEEL mm Ø	STIRRUP	REMARK
C1	9"X9"	6-16mmØ	8 mmØ @ 6"C/C	UP TO ROOF

BEAM SCHEDULE

BEAM	SIZE	STEEL Top Bar	STEEL Bottom Bar	STIRRUP	REMARK
PB 1	9"X12"	3-16 mmØ	3-16 mmØ	8 mmØ @ 6"C/C	Plinth Beam
PB 2	9"X9"	3-16 mmØ	3-16 mmØ	8 mmØ @ 6"C/C	Plinth Beam
RB 1	9"X12"	3-16 mmØ	3-16 mmØ	8 mmØ @ 6"C/C	Roof Beam
RB 2	9"X9"	3-16 mmØ	3-16 mmØ	8 mmØ @ 6"C/C	Roof Beam

FOOTING SCHEDULE

FOOTING	SIZE	MAIN BAR mmØ	DISTRIBUTION BAR mmØ
F1	3'- 6" X 3'- 6" X 0'- 9"	16 mmØ @ 6"C/C	16 mmØ @ 6"C/C

	COMPANY		SUBJECT:	MS- BAR DETAILS SCHEDULE	Scale:	As Shown
	PROJECT:	120'X30' ONE STOREY REINFORCED CEMENT CONCRETE SCHOOL			Sheet No:	
	LOCATION:				Date:	